



Shreveport Society for Nature Study

BIRD STUDY GROUP

NEWSLETTER

Volume 24, Number 9

June 1, 2010

Next Meeting – June 8, 2010

Mechanics of Coloration in Birds: Color is More Than Skin Deep

Presented by Dr. Cran Lucas

JUNE MEETING

When: Tuesday, June 8, 6:00 p.m.

Where: LSUS, Science Lecture Auditorium

Topic: Mechanics of Coloration in Birds: Color is More Than Skin Deep

Presented by: Dr. Cran Lucas

Birds employ numerous mechanisms for producing coloration. Pigments such as carotenoids and melanins can produce a variety of colored feathers. Structural colors are produced by changing the microstructure of the feather. How these diverse colors are produced and utilized by birds will be reviewed.

Dr. Cran Lucas is a Professor of Biological Sciences at LSU in Shreveport where he has taught biology for 32 year. He is currently working on research, with Dr. James Ingold, which is devoted to the chemical basis of coloration in birds.

Refreshments start at 6:00 p.m. and the program begins at 6:30 p.m.



UPCOMING FIELD TRIPS AND EVENTS

U.S. Nightjar Survey

May 20 – June 4, 2010

June 19 – July 4, 2010

LSU Summer Bird Atlas

June 1 – July 15, 2010

A Swift Night Out

August 6, 7, 8, 2010

BSG Summer Hiatus Notice:

The BSG will not meet in July or August.
Monthly meetings will resume in
September.

Turn in all your summer birding records
to the BSG database (lhardy@LSUS.edu).



Have a great summer!

BIRD STUDY GROUP PHONE NUMBERS AND MORE

Bird Study Group meets the second Tuesday of each month, September through June, 6:00 p.m. To be placed on the list to send & receive emails, email birdalert@birdstudygroup.org.

Contact the BSG by email: lhardy@lsus.edu or phone (318) 797-5338.

Visit us on the web at <http://www.birdstudygroup.org>

TABLE OF CONTENTS	
February Program	1
Upcoming Field Trips and Events	1,2
Wild Bird Center, Beginner Birding Events	2
Birding 2.0	3
Jay Huner's Texas Birding Trip, May 16-21, 2010	4
BSG Board and Committee Chair Directory	5
Bird Report	6

JUNE-JULY

LSU Summer Bird Atlas

June 1 – July 15, 2010

This year's Summer Bird Atlas continues with the protocol you already know, if you've participated previously. Basically: be able to bird by sight and sound, be knowledgeable of all birds in your area, bird for at least one hour, bird only in the morning, report all findings through the eBird portal:

<http://ebird.org/content/la>

For all you who would like to know about the SBA, go to <http://www.museum.lsu.edu/~Remsen/SummerBirdAtlas.html>

And if you have the time and means, consider birding coastal areas for this year's SBA. The Bird Atlas leaders are hoping to get as much help as possible in full coverage of the coast this summer due to the oil spill.

AUGUST

A Swift Night Out

August 6, 7, 8, 2010

"A Swift Night Out" is a national count sponsored by the Driftwood Wildlife Association of Austin, Texas, and it seeks to gain accurate numbers for both Chimney and Vaux's Swifts as they prepare to migrate. If you've never participated in this survey (and unless you've come to Claiborne Parish, you haven't!), you should. Grab some birders, some chairs, and some binoculars, find a roost, and count the birds as they pour in. You may get single digits, or you may get hundreds. Either way, report your numbers via email to DWA@austin.rr.com in this effort for swift conservation. To view previous years (and results from counts in Claiborne Parish), go to <http://www.concentric.net/~dwa/page56.html> and select the year of your choice.

WILD BIRD CENTER EVENTS BEGINNER BIRD WALKS

The Wild Bird Center conducts field trips the first and third Saturday of every month, weather permitting. Meet at Wild Bird Center in the University Place Shopping Center (Target Shopping Center) at the corner of Youree Drive and East 70th Street. Destinations vary according to local sightings and may include local parks, country roads or a private backyard. Loaner binoculars are available. Be sure to bring a field guide.

UPCOMING FIELD TRIPS AND EVENTS

By John Dillon

All field trips will **DEPART** from the listed meeting place at the time posted. Be early at the meeting place for orientation information and carpooling. BSG Membership is not a requirement for participation in any field trip, but it is encouraged.

What to bring: binoculars, field guide, scope (if possible), snacks/drinks for yourself and pen/paper if you'd like to keep your own records of sightings.

JUNE

U.S. Nightjar Survey

May 20 – June 4, 2010

June 19 – July 4, 2010

Join the Center for Conservation Biology in collecting data on the numbers and distribution of Nightjars. Please visit www.ccb-wm.org/nightjars.htm for all the information you need to know. Nightjars, such as Chuck-will's-widow and Whip-poor-will, are a little known group of birds that biologists believe are decreasing in number in the U.S. The U. S. Nightjar Survey seeks to determine accurate numbers and distribution of these birds.

If you would like to offer your assistance to this cause, simply visit the site shown above, read the protocol, select a 10-mile route (you can choose a pre-established one or create your own.), bird the route, and submit your observations. Each route should take approximately one hour to complete. The dates shown have been selected because these are the dates of most intense moonlight, and nightjar activity, including calling and foraging, is strongly influenced by the amount of moonlight.

For more information on any Wild Bird Center event, please call Dennis or Janice Forshee at the Wild Bird Center, 318-797-BIRD (2473).

BIRDING 2.0

By John Dillon

Well, I finally blew the \$30 I knew I'd eventually blow and got the Sibley app for my iPhone. A few months back, I wrote about it for the column and vowed that, when I inevitably got the app, I'd write another column about it. So, I'm making good on my promise.

Before I go any further, I know some of you don't have an iPhone or an iPod Touch, but I also know a lot of you are planning to get one of them. If you get an iPod Touch from BirdJam (now the only choice from BirdJam as they no longer sell the Nano), you can also add the Sibley app.

So, what's the app? Well, in a nutshell, take *The Sibley Guide to Birds*, add anywhere from 2 to 10 vocalizations for every species that vocalizes, and add a few more illustrations of various plumages, etc., and you've got the Sibley app. It also has a couple other features that birders may or may not find useful. For one, you can identify the state you're in, and the app will filter out birds that shouldn't be in that state. It also gives you the ability to keep a digital list of all the birds you see for a given location. To make it easy for you, here's the breakdown on the advantages and disadvantages:

Advantages:

1. Accuracy of illustrations. It's impossible to find any field guide that will always be reliable, but Sibley's illustrations are considered by many to be the best.

2. Field marks. I always thought Sibley's field guide was second to the Kaufmann guide in making it easy for birders to note the distinguishing field marks of each species. Kaufmann has arrows (as does Peterson) pointing to the field marks in addition to written commentary on the marks. The Sibley app bulked up on these little arrows. Nearly every illustration has them.

3. The recordings. The recordings are great. They're as good, if not better, than the Stokes recordings. For one, they're quite comprehensive. Many songbirds have 9 or 10 separate recordings listed. Plus, you can select the recording you want. The disadvantage to using iPods is that you have to fast forward or rewind to the part of the recording you want. That's not so with the Sibley app. Each song, call, chip, flight note, (yes, it has lots of flight notes!), is labeled; you just pick the one you want.

4. Bird friendly recordings. Another plus with the way the recordings are integrated is that the app will only play one vocalization and then stop. Many birders using other methods of playback let the vocalizations go on interminably. That can be very upsetting to many birds and can often drive them away.

5. Index options. Birders using the Sibley app can search alphabetically or taxonomically.

6. User friendly. The app contains lots of introductory material explaining how to use the app properly. It also contains all the text from the introduction of *The Sibley Guide to Birds*, including his drawings explaining bird topography.

7. Comprehensive. It covers 810 species known to occur in North America.

8. Range maps. Range maps are included for every species.

9. Compare feature. This is truly helpful. You can easily bring up images of similar-looking species (Couch's and Tropical Kingbirds, for example) and compare them. This feature also allows users to compare vocalizations and range maps.

10. Compact. Simply put, you can leave the paper field guide in the car.

11. "Smart Search" feature. This feature is mainly for new or intermediate birders. It's basically a search filter. You check off features such as coloration, size, and body type, and the app tells you all the possible species that match your input. I've tried it some just to test it out, and I've been impressed. It's pretty comprehensive. For example, searching "yellow" and "sparrow-size" gives you species like Blackpoll Warbler and Blackburnian Warbler, species that have yellow coloration for certain plumages or a certain sex.

Disadvantages:

1. Start-up time. This Sibley app isn't perfect, and one thing that continues to irk me is that, due to its huge size (522 MB; the vast majority of the 200,000 apps are fewer than 10 MB), it's very slow to open. It takes about 12 seconds on my 8 gig iPhone 3G. That may be due in part to all the other apps I've got on the phone, though.

2. The list feature. The list feature has LOTS of issues. First of all, it's only a life list. It's not meant to be used as a trip list feature. This is very annoying because the app already eliminates the need for carrying the field guide with you; the ability for it to be used as your notebook would be just as good. Furthermore, it's easy to add a bird to your list, but you can only delete one bird at a time. I assume that the first major update of the app (all apps are updated free of charge) will include the ability to delete an entire list, but I don't

know for certain. Until then, because the list is only a life list, you can't delete the entire list.

3. No zoom. Some birding apps allow you to zoom in on the illustration. The Sibley app has no such feature. It doesn't bother me, but I imagine it could be troublesome to birders with poor eyesight.

So, if you've already got an iPhone or iPod Touch or are planning to get one, consider the Sibley app. The *Sibley Guide to Birds* (the book, not the app) is \$35. The app is \$30 and contains more illustrations, field marks, search features, and tons of vocalizations. If you get it, let me know how you like it!

Texas Birding Trip, May 16-21, 2010

By Jay V. Huner,

The purpose of this trip was to visit the Lost Maples Natural Area to search for two rare birds, the Black-capped Vireo and the Golden-cheeked Warbler. Judy, my wife, and I stayed at the Inn at Lost Maples, about 4 miles west of Van Der Pool, Texas, on Texas Highway 353. Lost Maples Natural Area is located about 3 miles north of Van Der Pool. We birded primarily at the Inn at Lost Maples, Heart of Texas Birding Trail Site 059, and Lost Maples Natural Area, Heart of Texas Birding Trail Site 061. We also visited Garner State Park near Leakey, a Heart of Texas Birding Trail site as well, for several hours on 18 May. We recorded birds seen in Texas in our travels.

Texas Hill Country is an area of modest rainfall dominated by oak, mesquite and juniper covered, steep rocky hills with elevations of 2000-4000 feet. Spring rainfall promotes awe provoking wildflower landscapes. The area we visited was dominated by the Rio Frio and Sanibel River both with cypress trees, some huge, along the riparian areas, especially at lower elevations. Lost Maples Natural Area is home to many rare saw-tooth maples that create a wonderland of autumn color every fall.

The Black-capped Vireo and Golden-cheeked Warbler are two rare birds that are much sought after in Texas Hill Country. Lost Maples Natural Area is one of the main destinations for birders seeking these two species.

We found the two rare songbirds on Wednesday 19 May. There are two major trails at Lost Maples Natural Area about 4-5 miles in length. The names, East Trail and West Trail, show their locations. Both start at about 1800 feet and climb to the hill tops on the northern side of the area at 2200 feet. They meet at a series of ponds about half way to the top of the hills. Black-capped Vireo had been reported along the hill top on the East Trail and Golden-cheeked Warbler had been reported

along the ponds. We took the east side of East Trail and soon found that the note on the map stating "steep" meant what it said. We knew that the western side of the trail from the top was very steep but the eastern side was almost as steep. We literally climbed through the clouds with poor visibility.

I heard an odd bird call near the top of the trail so we stopped and alternately pished and imitated bird calls we were hearing – no CD players or ipods! We kept seeing birds moving in nearby brush but simply could not get good views. Then, after about 15 minutes, a bird came in over my wife's shoulder, about 15 feet away and landed in a bush. There was no need for binoculars. It WAS a male Golden-cheeked Warbler.

We then climbed to the top of the "hill" and shortly heard two birds singing very jumbled songs in junipers. The mist was very heavy and I was able to walk right up to the junipers where one bird was flitting back and forth. I was able to focus on it several times and knew, the first time I got it in view, that it was a male Black-capped Vireo.

We were very pleased with our accommodations at Inn at Lost Maples and the birding there was good. A pair of Vermilion Flycatchers entertained us every day on the fence across the road. Several Black-headed Grosbeaks provided definitive but poor looks in the oaks around our cabin. Black-crested Titmice called throughout the day and came readily to the feeder behind our cabin for great views. It was nice to be staying at a place with no television and no cell phone access. I was impressed to hear Common Poorwills serenading us in early evening and being able to watch both fireflies and stars in the clear, black nights without extraneous lights.

Itinerary:

16 May 2010 – Burkeville, TX to San Marcos, TX via Jasper, Woodville, Livingstone, Huntsville, Madisonville, Bryan, Caldwell, and Bastrop.

17 May 2010 – San Marcos, TX to Van Der Pool, TX [Inn at Lost Maples, Texas Highway 353, 4 miles due west of Van Der Pool on Lower Sabinal River] via New Braunsfel, Boerne, and Kerrville.

18 May 2010 – Visits to Lost Maples Natural Area and Garner State Park including Van Der Pool, Utopia, and Leakey.

19 May 2010 – Visit to Lost Maples Natural Area as well as Van Der Pool, Medina, and Bandera.

20 May 2010 – Van Der Pool, TX to San Marcos, TX via Medina, Bandera, Boerne, New Braunsfel, and Luling.

21 May 2010 – San Marcos, TX to Burkeville, TX via Bastrop, Caldwell, Bryan, Madisonville, Huntsville, Livingstone, Woodville, and Jasper.

Birds Found [Lost Maples birds highlighted]:

Texas Birding Trip, May 16-21, 2010, List by Jay Huner

- Black-bellied Whistling-Duck
- Wild Turkey**
- Great Blue Heron
- Great Egret
- Snowy Egret
- Cattle Egret
- Black Vulture**
- Turkey Vulture**
- Red-tailed Hawk
- Rock Pigeon Eurasian Collared-Dove
- White-winged Dove**
- Mourning Dove**
- Inca Dove**
- Common Ground-Dove
- Yellow-billed Cuckoo**
- Greater Roadrunner
- Common Poorwill
- Black-chinned Hummingbird**
- Golden-fronted Woodpecker**
- Ladder-backed Woodpecker**
- Pileated Woodpecker
- Eastern Wood-Pewee**
- Acadian Flycatcher**
- Eastern Phoebe**
- Black Phoebe**
- Vermilion Flycatcher
- Ash-throated Flycatcher
- Brown-crested Flycatcher
- Great Crested Flycatcher**
- Western Kingbird
- Scissor-tailed Flycatcher
- Loggerhead Shrike
- White-eyed Vireo**
- Black-capped Vireo**
- Yellow-throated Vireo**
- Red-eyed Vireo**
- Purple Martin
- Cliff Swallow
- Barn Swallow
- Western Scrub Jay**
- Blue Jay
- Common Raven
- American Crow
- Carolina Chickadee**
- Black-crested Titmouse**
- Carolina Wren**
- Canyon Wren**
- Bewick's Wren
- Blue-gray Gnatcatcher
- Eastern Bluebird
- Northern Mockingbird
- European Starling
- Cedar Waxwing
- Yellow-throated Warbler
- Golden-cheeked Warbler**
- Black-and-white Warbler**
- Louisiana Waterthrush**

- Summer Tanager**
- Spotted Towhee**
- Rufous-crowned Sparrow
- Chipping Sparrow**
- Clay-colored Sparrow
- Lark Sparrow
- Northern Cardinal**
- Black-headed Grosbeak
- Blue Grosbeak**
- Indigo Bunting**
- Painted Bunting**
- Dickcissel
- Red-winged Blackbird
- Common Grackle
- Great-tailed Grackle
- Brown-headed Cowbird
- House Finch**
- Lesser Goldfinch**
- House Sparrow
- Total: 77

Jay V. Huner, Louisiana Ecrevisse, 428 Hickory Hill Drive, Boyce, LA 71409 USA
 318 793-5529 / pikul@suddenlink.net

BSG Board of Directors & Committee Chairpersons	
BSG BOARD OF DIRECTORS	
OFFICERS	
<i>President – Mac Hardy (2).....</i>	<i>687-6738 (H), 797-5338(W)</i>
<i>Vice-president – Larry Raymond(3).....</i>	<i>929-3117 (H) 929-2806 (W)</i>
<i>Secretary – Silviera Hunt (1).....</i>	<i>220-0098 (H), 676-7156(W)</i>
<i>Treasurer – Dennis Forshee (2).....</i>	<i>797-2473 (W)</i>
MEMBERS AT LARGE	
<i>Jerry Bertrand (2).....</i>	<i>868-3255 (H/W)</i>
<i>Rachel Demascal(2).....</i>	<i>929-2806 (W)</i>
<i>Bill Wood (2).....</i>	<i>458-2930 (H)</i>
<i>John Dillon (1).....</i>	<i>243-2284 (H)</i>
<i>Bill Hall (1).....</i>	<i>797-1727 (H)</i>
<i>Jim Ingold (3).....</i>	<i>742-5067 (H), 797-5236 (W)</i>
<i>Amanda Lewis (3).....</i>	<i>861-5294 (H), 797-5215 (W)</i>
<i>Nancy Menasco (1).....</i>	<i>868-3255 (H/W)</i>
<i>Rosemary Seidler (1).....</i>	<i>424-2972 (H), 869-5231 (W)</i>
<i>Terry Davis (1).....</i>	<i>934-2133(H/W)</i>
<i>Numbers in parentheses are years remaining of a 3-year term.</i>	
COMMITTEE CHAIRPERSONS	
<i>Beginning Birders – Dennis Forshee.....</i>	<i>797-2473 (W)</i>
<i>Bird Alert Service – Rosemary Seidler.....</i>	<i>424-2972 (H)</i>
<i>Bird Hot Spot – Larry Raymond.....</i>	<i>929-3117 (H) 929-2806 (W)</i>
<i>Bird Records – Mac Hardy.....</i>	<i>687-6738 (H) 797-5338 (W)</i>
<i>Field Trip Coordinator – John Dillon.....</i>	<i>318-243-2284</i>
<i>Fund Raising – Jerry Bertrand.....</i>	<i>868-3255 (H/W)</i>
<i>Hospitality – Amanda Lewis.....</i>	<i>861-5294 (H) 797-5215 (W)</i>
<i>Library – Silviera Hunt.....</i>	<i>220-0098 (H), 676-5457 (W)</i>
<i>Membership Secretary – Mac Hardy.....</i>	<i>687-6738 (H), 797-5338 (W)</i>
<i>Newsletter Editor – Amanda Lewis.....</i>	<i>861-5294 (H) 797-5215 (W)</i>
<i>Folding/Mailing Committee – George Dean.....</i>	
<i>Programs – Larry Raymond.....</i>	<i>929-3117 (H) 929-2806 (W)</i>
<i>Publicity – Rachel Demascal.....</i>	<i>929-2806 (W)</i>
<i>Website – Jerry Bertrand.....</i>	<i>868-3255 (H/W)</i>

BIRD REPORT – compiled May 27, 2010

Use the bird report to see what other birders have been seeing and where to go find the bird you want to see. Observers are abbreviated by the first and last initials. Dates and localities of observations are summarized under the observer's initials. Sightings are arranged by species. Following each species is a line of data in the following format: date, initials of the observer, number of birds observed, initials of another observer, number of birds they observed, etc. For the number of birds observed, a 1 is used for both 1 bird and for numbers not reported by the observer. For example: 01/12/99 BB 2 means that on January 12, 1999, BB saw two birds. Then by looking on the observer list, located after the sightings, you can determine that BB is Bob Birder and on 1/12/99 he was birding C. Bickham Dickson Park.

Report bird records for the newsletter to Mac Hardy by the 25th of each month. All bird records reported here are observations of the observers and are therefore the responsibility of the observer.

OBSERVATIONS

Black-bellied Whistling-Duck -- 5/8/2010 SH&LP 4

Greater White-fronted Goose -- 5/13/2010 HH,PH&AH 1

Wood Duck -- 4/14/2010 HH&PH 2; 5/3/2010 HH 2; 4/20/2010 HH 6; 5/10/2010 HH 2; 5/8/2010 HH 2; 5/2/2010 HH 2; 5/1/2010 HH 4; 5/8/2010 HH 15; 4/27/2010 HH 4; 4/26/2010 HH PH, AH&ST 2; 5/20/2010 HH PH 2; 5/11/2010 HH PH 2; 4/24/2010 HH 2; 5/8/2010 HH 2; 5/8/2010 HH 2; 4/23/2010 HH 3

Mallard -- 5/8/2010 HH 6; 4/27/2010 HH 8; 4/20/2010 HH 2; 5/13/2010 HH,PH&AH 12

Blue-winged Teal -- 5/8/2010 HH 4; 5/8/2010 HH 1; 4/27/2010 HH 15

Canvasback -- 5/8/2010 SH&LP 1

Pied-billed Grebe -- 5/8/2010 HH 1; 5/8/2010 HH 4; 4/14/2010 HH PH 2; 4/27/2010 HH 1; 4/20/2010 HH 2; 5/8/2010 HH 1

American White Pelican -- 5/8/2010 SH&LP 6

Double-crested Cormorant -- 5/8/2010 SH&LP 1; 4/20/2010 HH 2; 5/8/2010 HH 1; 4/14/2010 HH PH 1; 5/8/2010 HH 1

Anhinga -- 5/15/2010 HH&BH 3; 5/8/2010 HH 1; 5/8/2010 HH 3

Great Blue Heron -- 5/14/2010 HH 2; 5/15/2010 HH BH 3; 5/8/2010 HH 2; 5/4/2010 HH 1; 4/27/2010 HH 1; 5/27/2010 HH 2; 5/15/2010 HH BH 1; 5/3/2010 HH 2; 4/26/2010 HH PH, AH&ST 1; 4/20/2010 HH 2; 5/15/2010 HH BH 4; 5/1/2010 HH 1; 5/25/2010 HH 2; 5/11/2010 HH&PH 1; 5/8/2010 HH 7; 5/2/2010 HH 1; 5/8/2010 SH LP 3; 5/14/2010 HH 1; 5/8/2010 HH 4; 5/20/2010 HH&PH 2; 5/27/2010 HH 2; 4/27/2010 HH 2; 4/23/2010 HH 1; 5/8/2010 HH 2; 4/24/2010 HH 2; 5/4/2010 HH 1

Great Egret -- 5/8/2010 HH 10; 5/15/2010 HH BH 2; 5/8/2010 HH 3; 5/20/2010 HH&PH 1; 5/27/2010 HH 2; 5/8/2010 SH&LP 4; 5/3/2010 HH 1; 5/13/2010 HH,PH&AH 1; 5/15/2010 HH&BH 3; 4/24/2010 HH 32; 5/8/2010 HH 6; 4/20/2010 HH 5; 5/25/2010 HH 1; 5/14/2010 HH 3; 4/23/2010 HH 4; 5/1/2010 HH 1; 5/8/2010 HH 4; 5/2/2010 HH 2; 5/27/2010 HH 1; 5/11/2010 HH&PH 1

Snowy Egret -- 5/25/2010 HH 2; 5/8/2010 HH 6; 5/8/2010 HH 4; 5/27/2010 HH 1; 5/8/2010 HH 4; 5/15/2010 HH&BH 2; 5/14/2010 HH 12

Little Blue Heron -- 5/8/2010 HH 129; 4/20/2010 HH 1; 4/24/2010 HH 1; 5/3/2010 HH 1; 5/15/2010 HH&BH 1; 5/15/2010 HH&BH 41; 5/8/2010 HH 1; 5/14/2010 HH 1; 5/8/2010 HH 4

Tricolored Heron -- 5/8/2010 HH 6

Cattle Egret -- 5/8/2010 HH 155; 5/3/2010 HH 22; 5/2/2010 HH 30; 5/8/2010 HH 24; 4/26/2010 HH,PH, AH&ST 30; 5/4/2010 HH 15; 5/15/2010 HH&BH 15; 4/24/2010 HH 45; 5/15/2010 HH&BH 95; 5/14/2010 HH 15; 5/11/2010 HH&PH 8; 5/8/2010 HH 8; 5/8/2010 SH&LP 100; 5/8/2010 HH 1634; 4/27/2010 HH 25; 5/15/2010 HH&BH 28; 5/13/2010 HH,PH&AH 40; 5/10/2010 HH 4; 5/5/2010 HH 30; 5/1/2010 HH 25; 5/12/2010 HH 32; 5/8/2010 HH 32; 4/23/2010 HH 25; 5/9/2010 HH,PH, AH, ST, & AS 12

Green Heron -- 5/8/2010 HH 1; 5/15/2010 HH&BH 2; 5/8/2010 HH 2; 5/14/2010 HH 1; 4/27/2010 HH 1

Black-crowned Night-Heron -- 5/8/2010 HH 2

Yellow-crowned Night-Heron -- 5/15/2010 HH&BH 2; 5/25/2010 HH 2; 5/14/2010 HH 1; 5/8/2010 HH 1; 5/27/2010 HH 2; 5/8/2010 HH 1

White Ibis -- 5/8/2010 HH 5

White-faced Ibis -- 5/8/2010 HH 1

Black Vulture -- 5/2/2010 HH 8; 5/14/2010 HH 2; 5/15/2010 HH&BH 3; 5/5/2010 HH 2; 5/8/2010 HH 1; 5/8/2010 HH 6; 5/13/2010 HH,PH&AH 2; 5/9/2010 HH,PH, AH, ST, & AS 4; 4/23/2010 HH 10; 4/26/2010 HH,PH, AH&ST 2; 5/11/2010 HH&PH 16; 4/24/2010 HH 4; 5/4/2010 HH 10; 5/10/2010 HH 2; 5/8/2010 HH 2; 5/8/2010 SH&LP 21; 5/15/2010 HH&BH 9; 5/20/2010 HH&PH 2; 5/1/2010 HH 12; 5/8/2010 LRR 1; 5/15/2010 HH&BH 12; 5/3/2010 HH 8; 4/20/2010 HH 2; 5/8/2010 HH 2

Turkey Vulture -- 5/8/2010 HH 2; 5/8/2010 LRR 2; 5/14/2010 HH 3; 4/27/2010 HH 2; 5/11/2010 HH&PH 2; 5/9/2010 HH,PH, AH, ST, & AS 2; 5/10/2010 HH 1; 5/5/2010 HH 7; 5/2/2010 HH 6; 5/8/2010 LRR 1; 5/14/2010 HH 1; 5/8/2010 SH&LP 8; 5/20/2010 HH&PH 5; 4/23/2010 HH 12; 4/24/2010 HH 8; 5/27/2010 HH 1; 5/8/2010 LRR 1; 4/26/2010 HH,PH, AH&ST 4; 5/15/2010 HH&BH 4; 5/4/2010 HH 6; 5/1/2010 HH 6; 5/8/2010 LRR 3; 5/8/2010 HH 8; 4/20/2010 HH 2; 5/3/2010 HH 8; 5/13/2010 HH,PH&AH 4; 5/25/2010 HH 2; 4/27/2010 HH 3; 5/8/2010 HH 4; 5/8/2010 HH 19; 5/8/2010 LRR 1; 5/12/2010 HH 1; 5/15/2010 HH&BH 3; 5/8/2010 HH 2; 5/8/2010 LRR 1

Mississippi Kite -- 5/13/2010 HH,PH&AH 1; 5/8/2010 LRR 2; 5/4/2010 HH 1; 5/12/2010 HH 2; 5/8/2010 LRR 1; 5/8/2010 LRR 1; 5/8/2010 SH&LP 1; 5/8/2010 LRR 1; 5/27/2010 HH 13; 5/27/2010 HH 8; 5/8/2010 LRR 1; 5/25/2010 HH 7

Sharp-shinned Hawk -- 5/1/2010 HH 1; 4/24/2010 HH 1

Cooper's Hawk -- 5/20/2010 HH&PH 1

Red-shouldered Hawk -- 5/15/2010 HH&BH 1; 5/8/2010 LRR 2; 5/8/2010 HH 1; 4/20/2010 HH 1; 4/24/2010 HH 1

Broad-winged Hawk -- 4/23/2010 HH 1; 5/8/2010 HH 2; 4/20/2010 HH 1

Red-tailed Hawk -- 5/8/2010 LRR 1; 5/10/2010 HH 1; 4/20/2010 HH 1; 4/23/2010 HH 2; 5/11/2010 HH&PH 1; 5/3/2010 HH 1; 5/9/2010 HH,PH, AH, ST, & AS 1; 4/24/2010 HH 1; 5/8/2010 HH 1; 5/15/2010 HH&BH 1; 5/15/2010 HH&BH 2; 5/13/2010 HH,PH&AH 1; 5/8/2010 HH 1;

- 5/8/2010 HH 2
- Purple Gallinule** -- 5/8/2010 HH 1; 5/15/2010 HH&BH 2
- Common Moorhen** -- 5/8/2010 HH 4; 5/8/2010 HH 4; 5/15/2010 HH&BH 14; 5/8/2010 HH 2
- American Coot** -- 5/8/2010 HH 1; 5/8/2010 HH 1
- American Golden-Plover** -- 4/27/2010 HH 1
- Killdeer** -- 5/27/2010 HH 3; 5/8/2010 HH 5; 5/14/2010 HH 1; 4/27/2010 HH 3; 5/8/2010 SH&LP 6; 5/1/2010 HH 2; 5/12/2010 HH 2; 5/8/2010 LRR 1; 5/8/2010 HH 3; 5/15/2010 HH&BH 2; 5/8/2010 HH 3; 5/8/2010 HH 2; 5/25/2010 HH 1; 4/20/2010 HH 4; 5/8/2010 LRR 1; 5/13/2010 HH,PH&AH 2; 4/14/2010 HH&PH 4
- Spotted Sandpiper** -- 5/8/2010 HH 12; 4/27/2010 HH 1; 5/14/2010 HH 2
- Solitary Sandpiper** -- 4/27/2010 HH 2; 4/20/2010 HH 1
- Greater Yellowlegs** -- 4/20/2010 HH 3; 5/8/2010 HH 56
- Lesser Yellowlegs** -- 5/8/2010 HH 155; 4/27/2010 HH 1
- Upland Sandpiper** -- 5/8/2010 HH 1; 4/14/2010 HH&PH 1
- Least Sandpiper** -- 5/8/2010 HH 115; 5/8/2010 HH 55; 4/20/2010 HH 2
- Baird's Sandpiper** -- 5/8/2010 HH 1
- Pectoral Sandpiper** -- 5/8/2010 HH 150; 5/13/2010 HH,PH&AH 2
- Wilson's Phalarope** -- 5/8/2010 HH 2
- Ring-billed Gull** -- 4/20/2010 HH 1
- Caspian Tern** -- 5/8/2010 HH 1; 5/8/2010 HH 4
- Rock Pigeon** -- 5/27/2010 HH 6; 5/3/2010 HH 6; 4/14/2010 HH&PH 4; 5/5/2010 HH 4; 5/4/2010 HH 4; 5/8/2010 HH 18; 5/15/2010 HH&BH 300; 5/8/2010 SH&LP 6; 5/8/2010 HH 6; 5/27/2010 HH 8; 5/8/2010 HH 4; 4/24/2010 HH 8; 5/1/2010 HH 12; 5/2/2010 HH 8
- Eurasian Collared-Dove** -- 5/3/2010 HH 2; 4/14/2010 HH&PH 1; 4/23/2010 HH 2; 5/13/2010 HH,PH&AH 2; 5/8/2010 HH 2; 5/4/2010 HH 2; 5/8/2010 LRR 2; 5/12/2010 HH 3; 5/8/2010 HH 12; 5/1/2010 HH 2; 5/15/2010 HH&BH 3
- White-winged Dove** -- 5/12/2010 HH 1
- Mourning Dove** -- 5/1/2010 HH 14; 5/8/2010 SH&LP 11; 5/15/2010 HH&BH 5; 4/26/2010 HH,PH,AH&ST 8; 5/25/2010 HH 4; 5/27/2010 HH 6; 5/10/2010 HH 12; 5/3/2010 HH 8; 5/8/2010 HH 5; 5/27/2010 HH 8; 5/8/2010 HH 10; 5/12/2010 HH 8; 4/14/2010 HH&PH 12; 5/11/2010 HH&PH 12; 4/27/2010 HH 4; 5/9/2010 HH,PH,AH,ST,&AS 12; 5/8/2010 LRR 3; 5/20/2010 HH&PH 10; 5/14/2010 HH 8; 5/4/2010 HH 10; 4/20/2010 HH 4; 4/24/2010 HH 12; 5/8/2010 HH 8; 5/15/2010 HH&BH 32; 5/13/2010 HH,PH&AH 10; 5/14/2010 HH 8; 5/8/2010 LRR 2; 5/15/2010 HH&BH 2; 5/8/2010 HH 2; 5/2/2010 HH 12; 4/27/2010 HH 6; 4/23/2010 HH 8
- Inca Dove** -- 5/8/2010 LRR 1
- Yellow-billed Cuckoo** -- 5/25/2010 HH 1; 5/4/2010 HH 1; 5/9/2010 HH,PH,AH,ST,&AS 1; 5/14/2010 HH 2; 5/20/2010 HH&PH 2; 5/15/2010 HH&BH 2; 5/11/2010 HH&PH 2; 5/8/2010 SH&LP 3; 5/27/2010 HH 2; 5/15/2010 HH&BH 8; 5/8/2010 HH 4; 5/10/2010 HH 4; 5/8/2010 LRR 1; 5/8/2010 LRR 2; 5/8/2010 HH 2; 5/8/2010 LRR 3; 5/8/2010 LRR 1; 5/5/2010 HH 1; 5/15/2010 HH&BH 3; 5/12/2010 HH 2
- Greater Roadrunner** -- 5/8/2010 HH 1
- Great Horned Owl** -- 5/15/2010 HH&BH 2
- Barred Owl** -- 5/8/2010 HH 1; 5/8/2010 LRR 1
- Common Nighthawk** -- 5/25/2010 HH 17; 5/27/2010 HH 17; 5/4/2010 HH 1; 5/8/2010 LRR 1; 5/3/2010 HH 1; 5/14/2010 HH 9; 5/2/2010 HH 1
- Chuck-will's-widow** -- 5/10/2010 HH 2; 5/4/2010 HH 1; 5/8/2010 HH 3; 4/24/2010 HH 2; 4/27/2010 HH 2; 5/9/2010 HH,PH,AH,ST,&AS 2; 5/1/2010 HH 2
- Chimney Swift** -- 5/5/2010 HH 4; 5/10/2010 HH 3; 5/2/2010 HH 5; 5/3/2010 HH 5; 5/4/2010 HH 6; 5/27/2010 HH 4; 4/20/2010 HH 4; 5/27/2010 HH 2; 5/8/2010 HH 3; 4/23/2010 HH 5; 4/27/2010 HH 4; 4/26/2010 HH,PH,AH&ST 6; 5/8/2010 HH 4; 5/14/2010 HH 2; 5/26/2010 SH 3; 4/27/2010 HH 5; 5/20/2010 HH&PH 3; 5/8/2010 LRR 2; 4/24/2010 HH 7; 5/8/2010 SH&LP 3; 5/1/2010 HH 4; 5/11/2010 HH&PH 2; 5/8/2010 LRR 4
- Ruby-throated Hummingbird** -- 5/10/2010 HH 2; 5/4/2010 HH 2; 5/8/2010 LRR 1; 5/20/2010 HH&PH 10; 5/3/2010 HH 4; 5/9/2010 HH,PH,AH,ST,&AS 2; 4/24/2010 HH 4; 5/8/2010 LRR 1; 5/8/2010 LRR 1; 4/27/2010 HH 2; 5/15/2010 HH&BH 1; 5/2/2010 HH 2; 4/26/2010 HH,PH,AH&ST 2; 5/1/2010 HH 2; 5/8/2010 HH 1; 5/27/2010 HH 4; 5/13/2010 HH,PH&AH 1; 5/14/2010 HH 2; 5/11/2010 HH&PH 2; 4/23/2010 HH 2; 5/5/2010 HH 2
- Belted Kingfisher** -- 4/23/2010 HH 1; 4/20/2010 HH 1; 5/8/2010 HH 1
- Red-headed Woodpecker** -- 4/24/2010 HH 2; 5/27/2010 HH 1; 5/3/2010 HH 1; 5/20/2010 HH&PH 1; 5/15/2010 HH&BH 2; 5/11/2010 HH&PH 3; 5/8/2010 LRR 1; 5/8/2010 HH 2; 4/14/2010 HH&PH 1; 5/2/2010 HH 2; 5/4/2010 HH 2; 5/10/2010 HH 2; 5/1/2010 HH 2; 4/23/2010 HH 2; 5/9/2010 HH,PH,AH,ST,&AS 2; 5/8/2010 HH 1; 4/27/2010 HH 2; 4/26/2010 HH,PH,AH&ST 2; 4/27/2010 HH 2; 5/5/2010 HH 1; 5/15/2010 HH&BH 1; 5/14/2010 HH 2
- Red-bellied Woodpecker** -- 5/27/2010 HH 2; 4/26/2010 HH,PH,AH&ST 2; 5/15/2010 HH&BH 2; 5/8/2010 LRR 1; 5/8/2010 HH 3; 4/14/2010 HH&PH 2; 5/5/2010 HH 3; 5/25/2010 HH 2; 5/15/2010 HH&BH 1; 5/8/2010 LRR 1; 5/8/2010 SH&LP 1; 4/27/2010 HH 2; 5/3/2010 HH 4; 5/8/2010 LRR 1; 5/8/2010 LRR 2; 5/8/2010 HH 1; 5/9/2010 HH,PH,AH,ST,&AS 3; 5/4/2010 HH 3; 5/8/2010 LRR 1; 5/2/2010 HH 4; 5/20/2010 HH&PH 3; 5/14/2010 HH 2; 4/23/2010 HH 3; 4/20/2010 HH 3; 5/14/2010 HH 2; 4/27/2010 HH 1; 4/24/2010 HH 4; 5/1/2010 HH 4; 5/11/2010 HH&PH 2; 5/10/2010 HH 2; 5/15/2010 HH&BH 1; 5/8/2010 HH 1
- Downy Woodpecker** -- 5/1/2010 HH 1; 5/27/2010 HH 1; 5/11/2010 HH&PH 2; 5/8/2010 LRR 1; 5/9/2010 HH,PH,AH,ST,&AS 1; 4/14/2010 HH&PH 2; 5/3/2010 HH 2; 5/4/2010 HH 1; 4/24/2010 HH 1; 4/20/2010 HH 2; 5/15/2010 HH&BH 2; 5/15/2010 HH&BH 1; 5/8/2010 HH 1; 5/5/2010 HH 1
- Hairy Woodpecker** -- 5/11/2010 HH&PH 1; 4/20/2010 HH 1; 5/20/2010 HH&PH 1
- Northern Flicker** -- 4/20/2010 HH 1; 4/14/2010 HH&PH 1
- Pileated Woodpecker** -- 5/1/2010 HH 1; 5/11/2010 HH&PH 1; 5/8/2010 SH&LP 1; 5/8/2010 LRR 1; 4/27/2010 HH 1; 5/15/2010 HH&BH 1; 5/8/2010 LRR 1; 4/23/2010 HH 2; 4/20/2010 HH 2; 5/3/2010 HH 2; 5/20/2010 HH&PH 1
- Olive-sided Flycatcher** -- 5/11/2010 HH&PH 1

- Eastern Wood-Pewee** -- 4/27/2010 HH 1; 5/2/2010 HH 1; 5/4/2010 HH 1; 5/15/2010 HH&BH 1; 5/5/2010 HH 1; 5/8/2010 LRR 1; 5/8/2010 LRR 1; 5/8/2010 LRR 1; 5/11/2010 HH&PH 2; 5/8/2010 SH&LP 4
- Acadian Flycatcher** -- 5/8/2010 LRR 1; 5/8/2010 LRR 1; 5/15/2010 HH&BH 1; 5/2/2010 HH 1; 5/8/2010 HH 1; 5/3/2010 HH 1
- Eastern Phoebe** -- 4/24/2010 HH 3; 5/3/2010 HH 1; 5/10/2010 HH 2; 4/23/2010 HH 2; 5/1/2010 HH 1; 4/14/2010 HH&PH 3; 5/9/2010 HH,PH,AH,ST,&AS 2; 4/20/2010 HH 2; 5/14/2010 HH 2; 5/11/2010 HH&PH 2; 5/20/2010 HH&PH 2; 5/5/2010 HH 2; 5/12/2010 HH 1; 5/27/2010 HH 2; 5/8/2010 HH 4; 5/8/2010 LRR 1; 5/4/2010 HH 2; 5/15/2010 HH&BH 2
- Great Crested Flycatcher** -- 5/8/2010 LRR 1; 5/15/2010 HH&BH 2; 4/14/2010 HH&PH 1; 5/3/2010 HH 1; 5/8/2010 LRR 1; 4/20/2010 HH 1; 5/14/2010 HH 1; 5/8/2010 LRR 1; 5/8/2010 LRR 1; 5/1/2010 HH 1; 5/8/2010 HH 1; 5/8/2010 HH 2; 5/25/2010 HH 1
- Western Kingbird** -- 5/13/2010 HH,PH&AH 1; 5/27/2010 HH 1; 5/13/2010 HH,PH&AH 2
- Eastern Kingbird** -- 5/27/2010 HH 4; 5/2/2010 HH 4; 5/15/2010 HH&BH 2; 4/27/2010 HH 2; 5/4/2010 HH 4; 5/15/2010 HH&BH 2; 5/20/2010 HH&PH 6; 5/8/2010 HH 3; 4/27/2010 HH 3; 5/9/2010 HH,PH,AH,ST,&AS 4; 4/23/2010 HH 4; 5/14/2010 HH 4; 5/13/2010 HH,PH&AH 3; 5/8/2010 HH 7; 4/24/2010 HH 2; 5/10/2010 HH 1; 5/27/2010 HH 2; 5/12/2010 HH 2; 5/5/2010 HH 4; 5/1/2010 HH 5; 5/8/2010 LRR 1; 5/3/2010 HH 4; 5/8/2010 SH&LP 14; 5/8/2010 HH 16; 5/8/2010 HH 1; 5/11/2010 HH&PH 1; 5/14/2010 HH 2; 5/25/2010 HH 2
- Scissor-tailed Flycatcher** -- 5/10/2010 HH 2; 5/2/2010 HH 1; 5/27/2010 HH 4; 5/9/2010 HH,PH,AH,ST,&AS 3; 5/20/2010 HH&PH 6; 4/27/2010 HH 1; 5/8/2010 HH 8; 4/20/2010 HH 1; 5/8/2010 HH 6; 5/1/2010 HH 3; 5/11/2010 HH&PH 2; 5/12/2010 HH 3; 4/14/2010 HH&PH 2; 5/3/2010 HH 2; 5/8/2010 HH 4; 5/8/2010 SH&LP 14; 5/15/2010 HH&BH 1; 5/8/2010 HH 5; 5/13/2010 HH,PH&AH 10; 5/15/2010 HH&BH 2; 5/14/2010 HH 2; 4/24/2010 HH 1; 5/25/2010 HH 2; 5/14/2010 HH 2; 4/26/2010 HH,PH,AH&ST 3; 5/15/2010 HH&BH 1; 4/23/2010 HH 3; 5/4/2010 HH 3
- Loggerhead Shrike** -- 5/2/2010 HH 1; 5/12/2010 HH 1; 5/8/2010 HH 1; 5/8/2010 HH 1; 5/8/2010 LRR 1; 5/14/2010 HH 1; 5/8/2010 SH&LP 2; 5/15/2010 HH&BH 1; 5/20/2010 HH&PH 1; 4/14/2010 HH&PH 2; 5/8/2010 HH 1; 5/14/2010 HH 1
- White-eyed vireo** -- 5/15/2010 HH&BH 1; 4/20/2010 HH 1; 5/8/2010 HH 1; 5/20/2010 HH&PH 1; 5/15/2010 HH&BH 3; 4/23/2010 HH 4; 5/8/2010 LRR 8; 4/24/2010 HH 2; 5/1/2010 HH 4; 5/8/2010 LRR 2; 5/8/2010 LRR 9; 5/8/2010 LRR 1; 5/8/2010 LRR 1; 5/8/2010 SH&LP 2; 5/8/2010 HH 1; 5/8/2010 LRR 1; 5/4/2010 HH 2; 5/3/2010 HH 1; 4/27/2010 HH 2; 5/5/2010 HH 2; 5/2/2010 HH 3
- Yellow-throated Vireo** -- 5/4/2010 HH 1; 5/5/2010 HH 1; 4/24/2010 HH 1
- Warbling Vireo** -- 5/15/2010 HH&BH 1
- Philadelphia Vireo** -- 5/8/2010 LRR 1
- Red-eyed Vireo** -- 5/27/2010 HH 1; 5/4/2010 HH 2; 4/26/2010 HH,PH,AH&ST 1; 5/15/2010 HH&BH 2; 5/2/2010 HH 2; 5/8/2010 LRR 3; 5/3/2010 HH 1; 5/8/2010 LRR 1; 5/8/2010 LRR 2; 5/8/2010 LRR 2; 5/8/2010 LRR 2; 4/27/2010 HH 1; 5/15/2010 HH&BH 1; 5/9/2010 HH,PH,AH,ST,&AS 1; 5/1/2010 HH 1; 5/5/2010 HH 2; 5/10/2010 HH 1; 4/23/2010 HH 2; 5/8/2010 HH 2; 4/24/2010 HH 1
- Blue Jay** -- 5/8/2010 LRR 4; 5/9/2010 HH,PH,AH,ST,&AS 1; 5/8/2010 LRR 2; 4/14/2010 HH&PH 2; 5/11/2010 HH&PH 2; 5/15/2010 HH&BH 8; 5/8/2010 HH 1; 5/8/2010 HH 2; Blue Jay 5/20/2010 HH&PH 4; 5/13/2010 HH,PH&AH 2; 5/4/2010 HH 6; 5/8/2010 HH 1; 5/27/2010 HH 2; 5/14/2010 HH 2; 5/3/2010 HH 4; 5/15/2010 HH&BH 6; 5/8/2010 LRR 3; 4/23/2010 HH 6; 5/25/2010 HH 2; 5/8/2010 LRR 4; 5/8/2010 LRR 1; 5/8/2010 HH 5; 5/8/2010 SH&LP 4; 4/24/2010 HH 2; 5/27/2010 HH 2; 5/2/2010 HH 5; 5/10/2010 HH 2; 5/8/2010 LRR 1; 5/8/2010 LRR 2; 5/1/2010 HH 2; 5/12/2010 HH 1; 5/14/2010 HH 1; 5/5/2010 HH 4; 4/27/2010 HH 3; 4/20/2010 HH 3
- American Crow** -- 5/13/2010 HH,PH&AH 4; 4/23/2010 HH 8; 4/24/2010 HH 6; 5/8/2010 LRR 1; 5/10/2010 HH 4; 5/20/2010 HH&PH 6; 5/5/2010 HH 4; 5/8/2010 HH 6; 5/8/2010 SH&LP 17; 4/20/2010 HH 4; 5/27/2010 HH 4; 5/4/2010 HH 5; 5/8/2010 HH 18; 5/3/2010 HH 8; 5/15/2010 HH&BH 2; 5/8/2010 LRR 1; 5/15/2010 HH&BH 2; 5/8/2010 LRR 1; 4/26/2010 HH,PH,AH&ST 4; 4/14/2010 HH&PH 4; 4/27/2010 HH 4; 5/1/2010 HH 8; 5/11/2010 HH&PH 4; 5/8/2010 LRR 1; 5/9/2010 HH,PH,AH,ST,&AS 4; 5/25/2010 HH 2; 5/8/2010 LRR 2; 5/8/2010 HH 2; 5/15/2010 HH&BH 6; 5/2/2010 HH 6; 5/27/2010 HH 4; 5/14/2010 HH 4; 5/14/2010 HH 4; 5/8/2010 HH 5; 5/8/2010 HH 4; 5/8/2010 LRR 1
- Fish Crow** -- 5/5/2010 HH 2; 4/23/2010 HH 6; 5/3/2010 HH 4; 5/15/2010 HH&BH 1; 4/24/2010 HH 4; 5/8/2010 HH 2; 5/8/2010 LRR 1; 5/4/2010 HH 2; 5/8/2010 HH 6; 5/15/2010 HH&BH 1; 5/8/2010 LRR 1; 5/8/2010 LRR 2; 4/20/2010 HH 4; 5/8/2010 HH 4; 5/8/2010 LRR 4; 5/11/2010 HH&PH 1; 5/8/2010 HH 1; 5/9/2010 HH,PH,AH,ST,&AS 1; 4/14/2010 HH&PH 2; 5/2/2010 HH 2
- Horned Lark** -- 5/12/2010 HH 4; 5/13/2010 HH,PH&AH 3
- Purple Martin** -- 5/20/2010 HH&PH 14; 5/13/2010 HH,PH&AH 6; 5/14/2010 HH 6; 4/24/2010 HH 12; 5/4/2010 HH 8; 5/8/2010 HH 6; 4/20/2010 HH 10; 5/11/2010 HH&PH 2; 4/27/2010 HH 3; 5/14/2010 HH 6; 5/15/2010 HH&BH 6; 5/8/2010 HH 12; 5/12/2010 HH 4; 4/27/2010 HH 2; 5/27/2010 HH 15; 5/2/2010 HH 6; 4/14/2010 HH&PH 4; 5/1/2010 HH 15; 5/27/2010 HH 12; 5/8/2010 HH 12; 4/23/2010 HH 20; 5/15/2010 HH&BH 4; 5/8/2010 SH&LP 7; 5/15/2010 HH&BH 6; 5/3/2010 HH 12; 5/5/2010 HH 7; 5/25/2010 HH 20
- Tree Swallow** -- 5/15/2010 HH&BH 2; 5/1/2010 HH 8; 4/24/2010 HH 10; 4/27/2010 HH 12
- Northern Rough-winged Swallow** -- 4/20/2010 HH 4; 4/26/2010 HH,PH,AH&ST 4; 5/3/2010 HH 8; 4/14/2010 HH&PH 2; 5/8/2010 HH 6; 5/9/2010 HH,PH,AH,ST,&AS 3; 5/4/2010 HH 4; 5/8/2010 SH&LP 5; 5/20/2010 HH&PH 4; 5/5/2010 HH 4; 5/2/2010 HH 5; 5/1/2010 HH 4; 5/11/2010 HH&PH 2; 4/24/2010 HH 8; 4/23/2010 HH 6
- Bank Swallow** -- 5/12/2010 HH 2
- Cliff Swallow** -- 5/25/2010 HH 8; 5/14/2010 HH 6; 4/23/2010 HH 12; 5/8/2010 HH 12; 5/8/2010 LRR 24; 4/20/2010 HH 12; 5/8/2010 HH 6; 5/27/2010 HH 20; 5/15/2010 HH&BH 15; 5/8/2010 HH 100; 5/27/2010 HH 24; 5/8/2010 HH 100
- Barn Swallow** -- 4/20/2010 HH 6; 5/2/2010 HH 4; 4/23/2010 HH 6; 5/12/2010 HH 4; 5/27/2010 HH 4; 5/14/2010 HH 4; 5/4/2010 HH 10; 5/8/2010 HH 16; 4/24/2010 HH 8; 5/9/2010 HH,PH,AH,ST,&AS 6; 5/13/2010 HH,PH&AH 2; 5/8/2010 HH 14; 5/15/2010 HH&BH 3; 5/8/2010 SH&LP 14; 5/27/2010 HH 4; 5/8/2010 HH 10; 5/11/2010 HH&PH 2; 5/8/2010 HH 15; 4/27/2010 HH 18; 4/14/2010 HH&PH 6; 4/27/2010 HH 2; 5/15/2010 HH&BH 5; 5/8/2010 LRR 2; 5/15/2010 HH&BH 4; 5/3/2010 HH 12; 5/5/2010 HH 2; 5/8/2010 HH 4; 5/1/2010 HH 4; 5/14/2010 HH 2; 5/10/2010 HH 6
- Carolina Chickadee** -- 5/1/2010 HH 2; 5/8/2010 LRR 2; 5/8/2010 LRR 2; 4/20/2010 HH 2; 5/10/2010 HH 2; 5/9/2010 HH,PH,AH,ST,&AS 2; 4/14/2010 HH&PH 2; 4/23/2010 HH 6; 5/4/2010 HH 2; 4/27/2010 HH 3; 5/15/2010 HH&BH 6; 5/27/2010 HH 4; 5/8/2010 LRR 2; 5/15/2010 HH&BH 2; 5/20/2010 HH&PH 6; 5/14/2010 HH 4; 5/8/2010 HH 2; 5/8/2010 LRR 3; 5/11/2010 HH&PH 2; 5/8/2010 LRR 5; 5/5/2010 HH 4; 5/3/2010 HH 4; 5/15/2010 HH&BH 4; 4/24/2010 HH 4; 5/2/2010 HH 4; 4/26/2010 HH,PH,AH&ST 2; 5/8/2010 HH 1; 5/8/2010 LRR 5; 5/8/2010 SH&LP 2; 5/8/2010 LRR 6
- Tufted Titmouse** -- 4/27/2010 HH 5; 5/27/2010 HH 4; 5/8/2010 LRR 3; 4/24/2010 HH 4; 5/5/2010 HH 8; 4/14/2010 HH&PH 4; 5/15/2010 HH&BH 5; 5/8/2010 LRR 2; 5/8/2010 LRR 2; 5/8/2010 SH&LP 3; 5/15/2010 HH&BH 4; 5/3/2010 HH 4; 5/20/2010 HH&PH 5; 4/26/2010

HH,PH,AH&ST 2; 5/4/2010 HH 6; 5/2/2010 HH 7; 5/1/2010 HH 6; 5/8/2010 LRR 3; 5/8/2010 HH 1; 5/11/2010 HH&PH 4; 5/14/2010 HH 2; 5/8/2010 HH 9; 4/20/2010 HH 4; 5/8/2010 LRR 4; 5/9/2010 HH,PH,AH,ST,&AS 4; 5/15/2010 HH&BH 2; 5/10/2010 HH 4; 5/8/2010 LRR 2; 5/27/2010 HH 2; 4/23/2010 HH 6; 5/13/2010 HH,PH&AH 2

White-breasted Nuthatch -- 5/8/2010 LRR 4; 5/8/2010 HH 1

Brown-headed Nuthatch -- 5/11/2010 HH&PH 2; 5/8/2010 LRR 1; 4/14/2010 HH&PH 3

Carolina Wren -- 5/20/2010 HH&PH 2; 5/27/2010 HH 1; 5/14/2010 HH 1; 5/8/2010 SH&LP 2; 5/15/2010 HH&BH 3; 5/8/2010 HH 2; 4/20/2010 HH 2; 5/8/2010 HH 4; 4/14/2010 HH&PH 2; 5/27/2010 HH 2; 5/11/2010 HH&PH 1; 5/2/2010 HH 3; 5/8/2010 LRR 2; 5/1/2010 HH 2; 5/15/2010 HH&BH 3; 5/9/2010 HH,PH,AH,ST,&AS 1; 4/27/2010 HH 3; 5/8/2010 HH 1; 4/24/2010 HH 4; 4/26/2010 HH,PH,AH&ST 4; 5/3/2010 HH 3; 5/8/2010 LRR 1; 5/4/2010 HH 2; 5/8/2010 LRR 1; 5/5/2010 HH 3; 4/23/2010 HH 4; 5/8/2010 LRR 2; 5/10/2010 HH 1; 5/8/2010 LRR 5; 5/8/2010 LRR 1; 5/8/2010 LRR 3; 5/15/2010 HH&BH 2; 5/8/2010 HH 2

Ruby-crowned Kinglet -- 4/20/2010 HH 1

Blue-gray Gnatcatcher -- 5/8/2010 LRR 2; 5/8/2010 LRR 1; 5/8/2010 LRR 1; 5/9/2010 HH,PH,AH,ST,&AS 1; 5/8/2010 LRR 1; 5/8/2010 LRR 5; 5/8/2010 HH 2; 5/11/2010 HH&PH 1; 5/8/2010 HH 1; 5/8/2010 LRR 1; 5/27/2010 HH 2; 5/8/2010 LRR 1

Eastern Bluebird -- 4/26/2010 HH,PH,AH&ST 4; 4/27/2010 HH 3; 5/8/2010 LRR 1; 5/8/2010 HH 4; 5/8/2010 LRR 1; 5/20/2010 HH&PH 5; 5/25/2010 HH 2; 5/8/2010 HH 15; 5/14/2010 HH 2; 5/4/2010 HH 4; 5/10/2010 HH 2; 5/3/2010 HH 6; 5/13/2010 HH,PH&AH 3; 5/14/2010 HH 2; 5/8/2010 LRR 1; 5/27/2010 HH 4; 5/8/2010 HH 2; 5/2/2010 HH 12; 5/8/2010 LRR 3; 5/15/2010 HH&BH 1; 5/9/2010 HH,PH,AH,ST,&AS 4; 4/20/2010 HH 4; 5/8/2010 HH 2; 5/15/2010 HH&BH 2; 5/8/2010 SH&LP 19; 5/1/2010 HH 10; 5/11/2010 HH&PH 3; 4/23/2010 HH 10; 5/27/2010 HH 6; 5/15/2010 HH&BH 2; 4/24/2010 HH 6; 4/14/2010 HH&PH 8; 5/8/2010 LRR 1; 5/12/2010 HH 2; 5/5/2010 HH 6

Wood Thrush -- 5/8/2010 SH&LP 1; 5/15/2010 HH&BH 2; 5/15/2010 HH&BH 1

American Robin -- 4/23/2010 HH 6; 5/8/2010 LRR 3; 5/27/2010 HH 1; 5/2/2010 HH 4; 4/20/2010 HH 8; 5/1/2010 HH 2; 5/8/2010 SH&LP 3; 5/15/2010 HH&BH 2; 5/25/2010 HH 6; 5/27/2010 HH 10; 5/14/2010 HH 6; 4/27/2010 HH 4; 4/24/2010 HH 2; 5/8/2010 HH 6; 5/3/2010 HH 2

Gray Catbird -- 5/5/2010 HH 2

Northern Mockingbird -- 5/8/2010 HH 19; 4/27/2010 HH 1; 5/4/2010 HH 8; 5/1/2010 HH 4; 4/27/2010 HH 3; 5/5/2010 HH 6; 4/20/2010 HH 4; 5/9/2010 HH,PH,AH,ST,&AS 5; 5/2/2010 HH 8; 5/8/2010 HH 4; 4/14/2010 HH&PH 8; 5/25/2010 HH 2; 5/27/2010 HH 2; 5/12/2010 HH 3; 5/3/2010 HH 6; 5/10/2010 HH 3; 5/8/2010 SH&LP 21; 5/27/2010 HH 4; 5/8/2010 HH 5; 4/24/2010 HH 7; 5/15/2010 HH&BH 4; 5/8/2010 LRR 4; 5/8/2010 LRR 4; 5/13/2010 HH,PH&AH 4; 5/8/2010 LRR 1; 5/11/2010 HH&PH 4; 5/8/2010 LRR 5; 5/14/2010 HH 2; 4/23/2010 HH 6; 4/26/2010 HH,PH,AH&ST 2; 5/15/2010 HH&BH 9; 5/14/2010 HH 4; 5/15/2010 HH&BH 3; 5/8/2010 HH 1; 5/20/2010 HH&PH 6; 5/8/2010 LRR 1

Brown Thrasher -- 5/8/2010 HH 2; 5/10/2010 HH 1; 4/14/2010 HH&PH 3; 4/24/2010 HH 3; 5/15/2010 HH&BH 1; 5/1/2010 HH 1; 5/8/2010 HH 2; 5/5/2010 HH 2; 5/11/2010 HH&PH 2; 4/27/2010 HH 1; 5/27/2010 HH 2; 5/8/2010 LRR 2; 5/2/2010 HH 2; 5/14/2010 HH 1; 4/23/2010 HH 4; 5/3/2010 HH 3; 5/20/2010 HH&PH 2; 5/8/2010 HH 5; 5/9/2010 HH,PH,AH,ST,&AS 2; 5/4/2010 HH 4; 4/20/2010 HH 1

European Starling -- 5/8/2010 HH 6; 4/24/2010 HH 14; 4/20/2010 HH 25; 5/8/2010 HH 1; 4/23/2010 HH 18; 5/8/2010 SH&LP 8; 4/14/2010 HH&PH 10; 4/27/2010 HH 2; 5/8/2010 LRR 7; 5/3/2010 HH 4; 5/8/2010 HH 12; 5/8/2010 HH 25; 5/20/2010 HH&PH 2; 5/27/2010 HH 2; 5/14/2010 HH 6; 5/15/2010 HH&BH 6; 5/4/2010 HH 6; 5/10/2010 HH 2; 5/14/2010 HH 12; 5/11/2010 HH&PH 2; 5/9/2010 HH,PH,AH,ST,&AS 2; 5/8/2010 LRR 3; 5/8/2010 LRR 3; 5/15/2010 HH&BH 1; 5/1/2010 HH 6; 5/15/2010 HH&BH 3; 5/2/2010 HH 8

Cedar Waxwing -- 4/24/2010 HH 4; 5/5/2010 HH 12; 4/20/2010 HH 12; 5/15/2010 HH&BH 37; 5/14/2010 HH 8; 4/23/2010 HH 3; 5/9/2010 HH,PH,AH,ST,&AS 12; 5/3/2010 HH 8; 4/14/2010 HH&PH 10

Northern Parula -- 5/8/2010 LRR 1; 5/8/2010 LRR 2; 5/8/2010 LRR 2; 5/8/2010 LRR 1

Chestnut-sided Warbler -- 5/8/2010 LRR 1; 5/8/2010 LRR 1

Magnolia Warbler -- 5/8/2010 LRR 1; 5/8/2010 LRR 1

Yellow-rumped Warbler -- 4/20/2010 HH 12; 4/14/2010 HH&PH 5; 4/23/2010 HH 4

Black-throated Green Warbler -- 4/23/2010 HH 2; 4/24/2010 HH 2

Yellow-throated Warbler -- 5/8/2010 LRR 1; 5/8/2010 HH 1; 5/15/2010 HH&BH 1

Pine Warbler -- 4/27/2010 HH 2; 5/8/2010 LRR 3; 5/8/2010 LRR 1; 5/4/2010 HH 2; 5/11/2010 HH&PH 2; 5/8/2010 HH 2; 5/1/2010 HH 3; 5/2/2010 HH 1; 5/8/2010 LRR 2; 5/3/2010 HH 2; 4/24/2010 HH 3; 5/8/2010 LRR 3; 5/8/2010 SH&LP 5; 4/23/2010 HH 2

Black-and-white Warbler -- 4/20/2010 HH 1; 5/8/2010 HH 2

Prothonotary Warbler -- 5/8/2010 LRR 1; 5/14/2010 HH 2; 5/8/2010 LRR 2; 5/8/2010 LRR 2

Swainson's Warbler -- 5/8/2010 LRR 1

Louisiana Waterthrush -- 5/8/2010 LRR 1

Kentucky Warbler -- 5/14/2010 HH 1; 5/8/2010 LRR 1

Common Yellowthroat -- 5/11/2010 HH&PH 1; 5/15/2010 HH&BH 2; 5/8/2010 SH&LP 1; 5/8/2010 LRR 2; 5/3/2010 HH 1; 5/8/2010 HH 1; 5/10/2010 HH 1; 5/9/2010 HH,PH,AH,ST,&AS 1; 5/20/2010 HH&PH 1; 5/8/2010 LRR 1

Hooded Warbler -- 5/8/2010 LRR 1; 5/8/2010 LRR 2; 5/8/2010 LRR 4; 5/11/2010 HH&PH 1; 5/8/2010 LRR 1

Yellow-breasted Chat -- 5/8/2010 LRR 1; 5/1/2010 HH 2; 5/2/2010 HH 5; 5/8/2010 HH 1; 5/4/2010 HH 2; 5/8/2010 SH&LP 1; 5/15/2010 HH&BH 2; 5/15/2010 HH&BH 1; 5/5/2010 HH 1; 5/8/2010 HH 8; 5/15/2010 HH&BH 8; Yellow-breasted Chat 5/27/2010 HH 2; 5/3/2010 HH 4; 5/11/2010 HH&PH 1; 5/20/2010 HH&PH 2; 5/8/2010 LRR 3; 5/8/2010 LRR 4; 5/14/2010 HH 2

Eastern Towhee -- 5/27/2010 HH 1; 5/20/2010 HH&PH 1

Chipping Sparrow -- 5/1/2010 HH 4; 5/3/2010 HH 2; 4/23/2010 HH 4; 5/4/2010 HH 1; 5/20/2010 HH&PH 1; 5/14/2010 HH 1; 5/8/2010 LRR 2; 4/27/2010 HH 2; 5/11/2010 HH&PH 1; 4/14/2010 HH&PH 6; 5/27/2010 HH 1; 5/10/2010 HH 2; 4/24/2010 HH 4; 5/5/2010 HH 2; 5/2/2010 HH 2

Field Sparrow -- 4/14/2010 HH&PH 4; 4/23/2010 HH 2

Lark Sparrow -- 5/8/2010 HH 2; 4/14/2010 HH&PH 2; 5/1/2010 HH 2; 5/13/2010 HH,PH&AH 2

Savannah Sparrow -- 4/23/2010 HH 4; 4/14/2010 HH&PH 8; 5/1/2010 HH 4

Song Sparrow -- 5/1/2010 HH 1; 4/24/2010 HH 2; 5/5/2010 HH 1; 5/3/2010 HH 1; 4/27/2010 HH 2; 5/4/2010 HH 1; 5/2/2010 HH 1; 4/14/2010 HH&PH 4; 4/23/2010 HH 2

Lincoln's Sparrow -- 4/24/2010 HH 1; 5/1/2010 HH 1

White-throated Sparrow -- 4/20/2010 HH 2; 4/14/2010 HH&PH 3; 4/24/2010 HH 1; 4/27/2010 HH 1; 4/23/2010 HH 3
Harris's Sparrow -- 4/14/2010 HH&PH 1
White-crowned Sparrow - 5/1/2010 HH 1; 5/10/2010 HH 1; 5/8/2010 HH 1; 4/27/2010 HH 1; 4/23/2010 HH 2; 4/14/2010 HH&PH 2; 4/24/2010 HH 1
Summer Tanager -- 5/9/2010 HH,PH,AH,ST,&AS 1; 5/8/2010 LRR 2; 5/8/2010 LRR 2; 5/8/2010 LRR 3; 5/15/2010 HH&BH 1; 5/8/2010 LRR 3; 5/27/2010 HH 2; 5/8/2010 LRR 1; 5/8/2010 LRR 1; 5/20/2010 HH&PH 2; 5/8/2010 HH 2; 5/8/2010 LRR 2
Scarlet Tanager -- 4/23/2010 HH 1
Northern Cardinal -- 5/15/2010 HH&BH 11; 4/24/2010 HH 16; 5/9/2010 HH,PH,AH,ST,&AS 18; 5/8/2010 HH 2; 5/27/2010 HH 6; 5/25/2010 HH 6; 4/27/2010 HH 16; 5/14/2010 HH 9; 5/2/2010 HH 15; 5/8/2010 SH&LP 9; 5/8/2010 LRR 7; 5/4/2010 HH 18; 4/14/2010 HH&PH 20; 5/8/2010 HH 32; 5/10/2010 HH 12; 5/27/2010 HH 20; 5/8/2010 LRR 4; 5/8/2010 HH 4; 4/26/2010 HH,PH,AH&ST 12; 5/5/2010 HH 16; 5/13/2010 HH,PH&AH 4; 5/11/2010 HH&PH 14; 5/8/2010 HH 4; 5/12/2010 HH 2; 5/20/2010 HH&PH 14; 5/3/2010 HH 20; 5/8/2010 LRR 1; 5/8/2010 LRR 9; 4/23/2010 HH 15; 4/20/2010 HH 8; 5/1/2010 HH 20; 5/8/2010 LRR 6; 5/14/2010 HH 8; 5/8/2010 LRR 3; 5/8/2010 LRR 3; 5/8/2010 LRR 3; 5/15/2010 HH&BH 2; 4/27/2010 HH 6; 5/8/2010 LRR 5; 5/15/2010 HH&BH 4
Rose-breasted Grosbeak -- 4/24/2010 HH 1; 4/26/2010 HH,PH,AH&ST 1; 4/23/2010 HH 1; 4/14/2010 HH&PH 2; 5/2/2010 HH 2; 4/27/2010 HH 2; 5/1/2010 HH 4
Blue Grosbeak -- 5/5/2010 HH 2; 5/10/2010 HH 2; 5/1/2010 HH 3; 5/3/2010 HH 1; 5/8/2010 SH&LP 1; 5/13/2010 HH,PH&AH 1; 4/26/2010 HH,PH,AH&ST 1; 4/24/2010 HH 4; 4/27/2010 HH 1; 5/27/2010 HH 1; 5/15/2010 HH&BH 3; 5/11/2010 HH&PH 3; 5/2/2010 HH 2; 5/4/2010 HH 2; 4/23/2010 HH 3; 5/15/2010 HH&BH 1; 5/8/2010 HH 1; 5/9/2010 HH,PH,AH,ST,&AS 2; 5/8/2010 HH 3; 5/15/2010 HH&BH 1; 5/20/2010 HH&PH 2; 5/12/2010 HH 1; 5/14/2010 HH 2
Indigo Bunting -- 5/5/2010 HH 8; 5/8/2010 LRR 3; 5/3/2010 HH 10; 5/11/2010 HH&PH 4; 5/20/2010 HH&PH 3; 4/26/2010 HH,PH,AH&ST 6; 5/8/2010 LRR 1; 5/8/2010 HH 2; 5/25/2010 HH 4; 5/13/2010 HH,PH&AH 4; 4/24/2010 HH 24; 5/9/2010 HH,PH,AH,ST,&AS 5; 5/14/2010 HH 3; 5/15/2010 HH&BH 7; 4/23/2010 HH 15; 5/4/2010 HH 8; 5/27/2010 HH 2; 5/1/2010 HH 18; 4/27/2010 HH 5; 5/15/2010 HH&BH 3; 4/14/2010 HH&PH 3; 5/8/2010 SH&LP 2; 5/15/2010 HH&BH 11; 5/8/2010 LRR 4; 5/10/2010 HH 2; 5/2/2010 HH 15
Painted Bunting -- 5/1/2010 HH 4; 5/15/2010 HH&BH 2; 5/2/2010 HH 3; 5/9/2010 HH,PH,AH,ST,&AS 3; 5/14/2010 HH 3; 4/27/2010 HH 2; 5/10/2010 HH 3; 4/26/2010 HH,PH,AH&ST 1; 4/23/2010 HH 2; 5/8/2010 HH 4; 4/24/2010 HH 2; 5/27/2010 HH 3; 5/5/2010 HH 3; 5/20/2010 HH&PH 4; 5/15/2010 HH&BH 3; 5/11/2010 HH&PH 2; 5/3/2010 HH 4; 4/14/2010 HH&PH 1; 5/4/2010 HH 3
Dickcissel -- 5/3/2010 HH 1; 5/8/2010 SH&LP 18; 5/8/2010 HH 16; 5/2/2010 HH 1; 5/15/2010 HH&BH 2; 5/15/2010 HH&BH 12; 4/24/2010 HH 2; 5/20/2010 HH&PH 2; 5/8/2010 HH 4; 5/13/2010 HH,PH&AH 22; 5/1/2010 HH 2; 5/8/2010 HH 6; 5/8/2010 HH 10; 5/15/2010 HH&BH 7
Bobolink -- 5/13/2010 HH,PH&AH 1
Red-winged Blackbird -- 5/8/2010 SH&LP 9; 5/14/2010 HH 2; 5/9/2010 HH,PH,AH,ST,&AS 1; 5/8/2010 HH 32; 5/13/2010 HH,PH&AH 30; 5/8/2010 LRR 1; 5/8/2010 HH 12; 5/11/2010 HH&PH 2; 5/8/2010 HH 4; 4/23/2010 HH 4; 5/2/2010 HH 1; 5/15/2010 HH&BH 15; 5/25/2010 HH 4; 5/4/2010 HH 2; 5/1/2010 HH 2; 4/20/2010 HH 6; 4/27/2010 HH 4; 4/14/2010 HH&PH 2; 4/26/2010 HH,PH,AH&ST 2; 5/20/2010 HH&PH 4; 5/5/2010 HH 2; 5/15/2010 HH&BH 10; 5/14/2010 HH 12; 5/8/2010 HH 26; 5/15/2010 HH&BH 41; 5/8/2010 HH 55; 4/24/2010 HH 2; 5/12/2010 HH 1; 5/10/2010 HH 1; 5/3/2010 HH 1; 4/27/2010 HH 2
Eastern Meadowlark -- 5/8/2010 HH 6; 5/20/2010 HH&PH 4; 5/8/2010 HH 5; 5/4/2010 HH 2; 5/8/2010 HH 4; 5/9/2010 HH,PH,AH,ST,&AS 2; 4/24/2010 HH 8; 5/2/2010 HH 2; 4/14/2010 HH&PH 2; 4/23/2010 HH 6; 5/5/2010 HH 2; 5/15/2010 HH&BH 2; 5/8/2010 SH&LP 8; 5/10/2010 HH 2; 5/1/2010 HH 2; 5/12/2010 HH 2; 5/3/2010 HH 3
Common Grackle -- 4/24/2010 HH 10; 5/8/2010 SH&LP 1; 5/1/2010 HH 8; 5/8/2010 LRR 2; 5/8/2010 LRR 3; 5/8/2010 HH 20; 5/14/2010 HH 20; 4/27/2010 HH 10; 5/15/2010 HH&BH 4; 5/15/2010 HH&BH 8; 5/8/2010 HH 6; 5/25/2010 HH 14; 4/20/2010 HH 100; 5/8/2010 HH 7; 5/27/2010 HH 12; 5/13/2010 HH,PH&AH 2; 5/8/2010 HH 24
Great-tailed Grackle -- 5/8/2010 HH 6
Brown-headed Cowbird -- 5/1/2010 HH 24; 5/20/2010 HH&PH 9; 5/9/2010 HH,PH,AH,ST,&AS 18; 5/8/2010 SH&LP 13; 5/15/2010 HH&BH 4; 4/27/2010 HH 9; 5/5/2010 HH 14; 5/8/2010 LRR 2; 5/15/2010 HH&BH 18; 5/8/2010 HH 33; 4/23/2010 HH 40; 5/8/2010 LRR 6; 5/14/2010 HH 4; 5/12/2010 HH 5; 5/11/2010 HH&PH 18; 5/8/2010 HH 2; 5/8/2010 LRR 1; 4/20/2010 HH 4; 5/3/2010 HH 22; 5/2/2010 HH 18; 5/27/2010 HH 6; 4/14/2010 HH&PH 12; 4/24/2010 HH 35; 5/25/2010 HH 4; 5/13/2010 HH,PH&AH 15; 5/4/2010 HH 20; 5/14/2010 HH 12; 5/15/2010 HH&BH 5; 5/8/2010 LRR 1; 4/26/2010 HH,PH,AH&ST 10
Orchard Oriole -- 5/14/2010 HH 3; 4/23/2010 HH 2; 5/1/2010 HH 2; 5/15/2010 HH&BH 1; 5/11/2010 HH&PH 2; 5/3/2010 HH 1; 5/15/2010 HH&BH 1; 4/14/2010 HH&PH 2; 5/9/2010 HH,PH,AH,ST,&AS 2; 4/27/2010 HH 1; 5/5/2010 HH 2; 4/20/2010 HH 2; 5/15/2010 HH&BH 1
Baltimore Oriole -- 4/24/2010 HH 4; 5/9/2010 HH,PH,AH,ST,&AS 3; 5/14/2010 HH 2; 5/25/2010 HH 2; 5/1/2010 HH 5; 5/2/2010 HH 4; 4/27/2010 HH 3; 5/15/2010 HH&BH 1; 5/4/2010 HH 1; 5/20/2010 HH&PH 1; 5/8/2010 HH 1; 5/8/2010 SH&LP 2; 5/5/2010 HH 1; 5/11/2010 HH&PH 1; 5/8/2010 HH 1; 5/8/2010 HH 1; 5/15/2010 HH&BH 1
House Finch -- 5/20/2010 HH&PH 3; 5/8/2010 HH 3; 5/8/2010 LRR 2; 4/14/2010 HH&PH 2; 4/23/2010 HH 2; 5/15/2010 HH&BH 5; 5/8/2010 LRR 2
American Goldfinch -- 5/9/2010 HH,PH,AH,ST,&AS 1; 5/8/2010 HH 2; 5/11/2010 HH&PH 1; 5/5/2010 HH 1; 5/4/2010 HH 1; 5/2/2010 HH 1; 5/3/2010 HH 1; 5/10/2010 HH 1; 5/1/2010 HH 1; 5/20/2010 HH&PH 1; 4/14/2010 HH&PH 3
House Sparrow -- 5/8/2010 LRR 1; 5/14/2010 HH 6; 4/23/2010 HH 8; 5/15/2010 HH&BH 2; 5/8/2010 HH 4; 5/8/2010 HH 4; 5/8/2010 SH&LP 2; 5/8/2010 HH 14; 5/27/2010 HH 4; 5/27/2010 HH 5; 5/8/2010 HH 14; 4/24/2010 HH 2; 5/13/2010 HH,PH&AH 4

148 species

OBSERVERS

- HH --Hubert Hervey:** 4/20/2010 C. Bickham Dickson Park; 4/23/2010 Stonewall area; 4/24/2010 Stonewall area; 4/27/2010 C Bickham Dickson Park; 4/27/2010 Stonewall farm; 5/1/2010 Stonewall Farm; 5/2/2010 Stonewall Farm; 5/3/2010 Stonewall Farm; 5/4/2010 Stonewall Farm; 5/5/2010 Stonewall Farm; 5/8/2010 At Mibermel Rice plantation, s of Powhatan; 5/8/2010 Evelyn area off I- 49; 5/8/2010 Lock & Dam 5, also s. Shreveport; 5/8/2010 Red River Parish at Anderson's Plant farm, and L & D 4; 5/8/2010 Stonewall area; 5/10/2010 Stonewall Farm; 5/12/2010 Sentell Rd. and sod farm; 5/14/2010 South Caddo Parish, Wallace Lake Rd; 5/14/2010 Stonewall Farm; 5/25/2010 C. Bickham Dickson Park; 5/27/2010 South side of Shreveport; 5/27/2010 Stonewall farm
- HH&BH -- Hubert Hervey & Bill Hall:** 5/15/2010 Bayou Pierre WMA; 5/15/2010 Stonewall area; 5/15/2010 Yearwood Rd
- HH&PH -- Hubert Hervey & Pat Hervey:** 4/14/2010 Stonewall Area near Farm; 5/11/2010 Stonewall Farm; 5/20/2010 Stonewall farm
- HH,PH&AH -- Hubert Hervey,Pat and Alex Heath:** 5/13/2010 Sentell Rd. and sod farm
- HH,PH,AH&ST -- Hubert Hervey, Pat Hervey, Alex Heath, Sherry Tumi:** 4/26/2010 Stonewall farm
- HH,PH,AH,ST,&AS -- Hubert Hervey, Pat, Alex, Sherry and April:** 5/9/2010 Stonewall Farm
- LRR -- Larry R. Raymond:** 5/8/2010 Back Path Acres off Blanchard Furrh Road; 5/8/2010 Crouch Dam Road north of LA 169; 5/8/2010 Gorman Road, Blanchard; 5/8/2010 Gorman Road, Blanchard; 5/8/2010 Jeter Property along West Lakeshore Drive west of Richard Flemin; 5/8/2010 LA 173 east of LA 1; 5/8/2010 LA 173 south of Kipling Place; 5/8/2010 Mooringsport Ball Field along LA 169 in Mooringsport; 5/8/2010 North Lakeshore Drive approx. 0.1 mi. south of jct. Blanchard Fur; 5/8/2010 North Park Circle, Shreveport, Northwood High School; 5/8/2010 Old Mooringsport Landfill along LA 169 east of Mooringsport; 5/8/2010 Richard Fleming Park, West Lakeshore Drive; 5/8/2010 Soda Lake WMA accessed from LA 173; 5/8/2010 Walter B. Jacobs Memorial Nature Park; 5/8/2010 West Lakeshore Drive at small bridge immed. west of jct. North La; 5/8/2010 West Lakeshore Drive west of North Lakeshore Drive
- SH -- Shirley Huss:** 5/26/2010 Shirley Huss residence
- SH&LP -- Shirley Huss and Lily Poole:** 5/8/2010 Wallace Lake Rd, Ellerbe, Harts Island, Bishop's Pt, LA#1,L&D#5.

©COPYRIGHT 2010, SHREVEPORT SOCIETY FOR NATURE STUDY.

All rights reserved. Material may not be reproduced, distributed, transmitted, published, or broadcast without the prior written permission of the Bird Study Group, Shreveport Society for Nature Study, Inc.

Direct inquires to the Editor, Amanda Lewis, at (318) 797-5215.



Join/Renew the BSG!

The Bird Study Group of Shreveport invites you to become a member.
Renewals, please update information below.

Name(s) _____ Address _____

City _____ State _____ Zip _____

Email _____ Phone (Home) _____ Work _____

Yes, please add me to the email Bird Alert

Leave me out of the BSG member directory


Membership Levels: Regular (\$15.⁰⁰) Sustaining (\$35.⁰⁰) Family, *One Newsletter/ One Address* (\$20.⁰⁰)
Names of Family Members:

Donations: Library Refuges Refreshments General

Make check payable & mail to: SSNS- Bird Study Group
Museum of Life Sciences, One University Place,
Shreveport, LA 71115-2399



Place Label Here



Shreveport Society for Nature Study
BIRD STUDY GROUP
One University Place
Shreveport, LA 71115-2399

